

Public Outreach

The following information is attached:

- A summary of outreach and education activities
- Blacklake Well #4 Construction Banner
- "Inside NCSD" Adobe Press article
- Press Release Log, Press Releases
- Web site traffic report and analysis

Meetings

Meetings attended:

- *March 22, SLO Co. Chapter CSDA*
- *March 22, Supplemental Water Finance team*
- *March 26, Board of Supervisors Supplemental Water Grant Agreement*
- *March 26, Supplemental Water Bid Package 1 opening*
- *March 27, Regular Board Meeting*
- *March 27, Oceano CSD Board Meeting*
- *March 28, Supplemental Water Project Bid Package 3 and 4 opening*
- *March 28, coordination with Public Information Assistant*
- *March 28, debrief with SWAEC chair*
- *March 28, Supplemental Water Finance team*
- *March 29, City of Santa Maria Public Works Director*
- *April 1, City of Santa Maria Utilities Department Supplemental Water*
- *April 1, Board officer coordination*
- *April 1, City of Grover Beach Council Meeting*
- *April 2, Supplemental Water Project design team*
- *April 2, coordination with Director of Engineering and Operations*
- *April 2, Woodlands Mutual Water Company principals*
- *April 2, Southland Upgrade project with Santa Maria Times*
- *April 2, City of Pismo Beach Council Meeting*
- *April 3, SLO Co Water Resources Advisory Committee*
- *April 4, Water Conservation Program consultant*
- *April 5, coordination with Public Information Assistant*

Meetings Scheduled:

- *April 8, Supplemental Water Project Finance*
- *April 8, Supplemental Water Project Management Team*
- *April 9, Supplemental Water Project Property/ROW Team*
- *April 10, Regular Board Meeting*
- *April 11, Cabinet Meeting*
- *April 12, NMMA Technical Group*
- *April 12, Supplemental Water Project Finance Team*
- *April 15, Board officer coordination*
- *April 16, Santa Barbara County Board of Supervisors – SWP Agreement*
- *April 17, Finance and Audit Committee*
- *April 17, Supplemental Water Project Committee*

RECOMMENDATION

Staff seeks direction and input from your Honorable Board

ATTACHMENTS

- A. Supplemental Water Project Phase 1 Recommendation Letters
- B. March 12, 2013 SWAEC Meeting Minutes
- C. County rain gauge data
- D. Outreach Program Summary

APRIL 10, 2013

ITEM F

ATTACHMENT A

**OFFICE OF THE
MAYOR**



300 East Branch Street
Arroyo Grande, CA 93420
Phone: (805) 473-5404
FAX: (805) 473-0386
agcity@arroyogrande.org
www.arroyogrande.org

March 27, 2013

Nipomo Community Services District Board of Directors
P.O. Box 326
Nipomo, CA 93444-0326

RECEIVED
MAR 28 2013
**NIPOMO COMMUNITY
SERVICES DISTRICT**

**SUBJECT: Letter of Support for the Nipomo Phased Supplemental Water Project and Other
Groundwater Restoration Projects**

Dear Honorable Directors:

This letter communicates the City of Arroyo Grande support for the Nipomo Community Services District's (NCSD) Phased Supplemental Water Project and outlines why this project is so critically important to the health of the Santa Maria Groundwater Basin (SMGB).

The Northern Cities Management Area (NCMA) agencies, consisting of the Oceano Community Services District and the Cities of Arroyo Grande, Grover Beach and Pismo Beach, rely upon groundwater within the SMGB as a crucial component of their water supply portfolio. For nearly 30 years, the NCMA agencies have limited their pumping and invested in surface water supplies so as to not exceed the safe yield of the NCMA of the SMGB.

However, the NCMA is not hydrologically isolated from the rest of the SMGB; and increased growth and excessive pumping on the Nipomo Mesa have contributed to a deepening groundwater depression underlying the Nipomo Mesa Management Area (NMMA) that threatens the NCMA's groundwater supplies. This excessive pumping and the associated groundwater depression have eliminated the historical inflow from the NMMA to the NCMA of approximately 1300 acre-feet per year and threaten to reverse flow between the two management areas, further reducing the groundwater available to urban and agriculture users in the NCMA.

To address the pumping in excess of local recharge and the growing groundwater depression in the NMMA, the Settlement Stipulation and Judgment require the NCSD to purchase and deliver a minimum of 2,500 acre-feet per year (AFY) of supplemental water to the Nipomo Mesa. The NCMA agencies support the NCSD's implementation a Supplemental Water Project because it is urgently needed to help correct the imbalance of water supply and demand in NMMA.

In addition to the development of supplemental water supplies, NCSD and other water purveyors must prudently manage growth in the NMMA to avoid further increasing the deficit between water demand and available supply. The NCMA agencies are gravely concerned about the NCSD's Board of Director's recent action to suspend Ordinance 2012-117 and to begin processing new applications for water

service. While the NCMA agencies support the currently proposed plans to construct a phased Supplemental Water Project that will deliver approximately 650-900 AFY, they oppose the development of any additional connections to the NCS D distribution system and any other increasing demands on the Nipomo Mesa groundwater supply until such time as groundwater pumping in the NMMA no longer exceeds the supply.

Upon review of the Draft Final Report by the Supplemental Water Alternatives Evaluation Committee (SWAEC), the NCMA agencies are in support of the committee's recommendations to the NCS D to develop a groundwater model for the SMGB and for improved water conservation.

Through the SMGB Management Areas Technical Subcommittee, which includes technical representatives from each of the management areas, the NCMA representatives have advocated for the coordinated development of a groundwater model for the NCMA and NMMA since 2010. The NCMA agencies funded the development of an Integrated Regional Water Management Planning Grant application to characterize the groundwater basin and a Local Groundwater Assistance (LGA) grant application to develop a Salt and Nutrient Management Plan for the NCMA and NMMA. These projects were intended to allow the NCMA and NMMA agencies to improve their understanding of the basin's hydrology and hydrogeology, quantify the safe yield of each of the management areas and protect the groundwater water quality.

Additionally, the NCMA agencies support the recommendations of the SWAEC for increased conservation measures by the NCS D. As identified in the Final Draft SWAEC report, conservation in the NCS D can be improved through implementation of the following measures:

- Expand membership on the NCS D Water Conservation Committee
- Re-establish NCS D Water Conservation and Public Outreach Position
- Provide better public education programs and improve media outreach
- Become more accessible to community members through events
- Develop graywater demonstration projects

In closing, the Santa Maria Groundwater Basin is a critical water resource that provides water supplies to more than 53,000 residents and thousands of acres of irrigated cropland in the NCMA and NMMA. Pumping in excess of local recharge on the Nipomo Mesa is creating a deepening depression that threatens the long term reliability of the SMGB. The Nipomo Supplemental Water Supply Project is a small but urgently necessary first step to begin to address this issue. However, the NMMA must obtain additional supplemental supplies, coupled with growth management, enhanced conservation, and improved understanding of the hydrogeology and geology of the groundwater basin – all of these are urgently needed to restore the sustainability of the NMMA's and the NCMA's groundwater resources.

Sincerely,



Tony Ferrara
Mayor, on behalf of the Arroyo Grande City Council
City of Arroyo Grande



City of Grover Beach

Mayor Debbie Peterson Mayor Pro Tem Karen Bright
Council Member Jeff Lee, Council Member Glenn Marshall, Council Member Bill Nicolls

Robert Ferrault
City Manager

April 2, 2013

Nipomo Community Services District Board of Directors
Post Office Box 326
Nipomo, CA 93444-0326

SUBJECT: Letter of Support for the Nipomo-Phased Supplemental Water Project and Other Groundwater Restoration Projects

Dear Honorable Directors:

This letter communicates the City of Grover Beach's support for the Nipomo Community Services District's (NCSD) Phased Supplemental Water Project and outlines why the City believes this project is so critically important to the health of the Santa Maria Groundwater Basin (SMGB).

The Northern Cities Management Area (NCMA) agencies, consisting of the Oceano Community Services District and the Cities of Arroyo Grande, Grover Beach and Pismo Beach, rely on groundwater within the SMGB as a crucial component of their water supply portfolio. For nearly 30 years, the NCMA agencies have limited their pumping and invested in surface water supplies so as to not exceed the safe yield of the NCMA of the SMGB.

However, the NCMA is not hydrologically isolated from the rest of the SMGB; and increased growth and excessive pumping on the Nipomo Mesa have contributed to a deepening groundwater depression underlying the Nipomo Mesa Management Area (NMMA) that threatens the NCMA's groundwater supplies. This excessive pumping and the associated groundwater depression have eliminated the historical inflow from the NMMA to the NCMA of approximately 1,300 acre-feet per year and threaten to reverse flow between the two management areas, further reducing the groundwater available to urban and agriculture users in the NCMA.

To address the pumping in excess of local recharge and the growing groundwater depression in the NMMA, the Settlement Stipulation and Judgment require the NCSD to purchase and deliver a minimum of 2,500 acre-feet per year (AFY) of supplemental water to the Nipomo Mesa. The NCMA agencies support the NCSD's implementation of a Supplemental Water Project because it is urgently needed to help correct the imbalance of water supply and demand in the NMMA.

In addition to the development of supplemental water supplies, NCSD and other water purveyors must prudently manage growth in the NMMA to avoid further increasing the deficit between water demand and available supply. The NCMA agencies are gravely concerned about the NCSD's Board of Director's recent action to suspend Ordinance 2012-117 and to begin processing new applications for water service. While the NCMA agencies support the currently proposed plans to construct a phased Supplemental Water Project that will deliver approximately 650-900 AFY, they oppose the development of any additional connections to the NCSD distribution system and any other increasing demands on the Nipomo Mesa groundwater supply until such time as groundwater pumping in the NMMA no longer exceeds the supply.

154 South Eighth Street ♦ Grover Beach, California 93433 ♦ FAX (805) 489-9657 ♦ www.grover.org

Administrative Services/Water (805) 473-4550 ♦ City Council/City Manager (805) 473-4567 ♦ City Clerk (805) 473-4568
Community Development - Building, Planning & Economic Development (805) 473-4520 ♦ Human Resources (805) 473-4564
Parks & Recreation (805) 473-4580 ♦ Police/Non-Emergency (805) 473-4511 ♦ Public Works (805) 473-4520

Upon review of the Draft Final Report by the Supplemental Water Alternatives Evaluation Committee (SWAEC), the NCMA agencies are in support of the committee's recommendations to the NCS D to develop a groundwater model for the SMGB and for improved water conservation.

Through the SMGB Management Areas Technical Subcommittees, which includes technical representatives from each of the management areas, the NCMA representatives have advocated for the coordinated development of a groundwater model for the NCMA and NMMA since 2010. The NCMA agencies funded the development of an Integrated Regional Water Management Planning Grant application to characterize the groundwater basin and a Local Groundwater Assistance (LGA) grant application to develop a Salt and Nutrient Management Plan for the NCMA and NMMA. These projects were intended to allow the NCMA and NMMA agencies to improve their understanding of the basin's hydrology and hydrogeology, quantify the safe yield of each of the management areas and protect the groundwater water quality.

Additionally, the NCMA agencies support the recommendations of the SWAEC for increased conservation measures by the NCS D. As identified in the Final Draft SWAEC report, conservation in the NCS D can be improved through implementation of the following measures:

- Expand membership on the NCS D Water Conservation Committee
- Re-establish NCS D Water Conservation and Public Outreach Position
- Provide better public education programs and improve media outreach
- Become more accessible to community members through events
- Develop graywater demonstration projects

In closing, the Santa Maria Groundwater Basin is a critical water resource that provides water supplies to more than 53,000 residents and thousands of acres of irrigated cropland in the NCMA and NMMA. Pumping in excess of local recharge on the Nipomo Mesa is creating a deepening depression that threatens the long term reliability of the SMGB. The Nipomo Supplemental Water Supply Project is a small but urgently necessary first step to begin to address this issue. However, the NMMA must also obtain additional supplemental supplies, coupled with growth management, enhanced conservation, and improved understanding of the hydrogeology and geology of the groundwater basin – all of these are urgently needed to restore the sustainability of the NMMA's and the NCMA's groundwater resources.

Sincerely,



DEBBIE PETERSON
Mayor, on behalf of the Grover Beach City Council
City of Grover Beach



From the Office of the Mayor
Shelly Higginbotham
760 Mattie Road
Pismo Beach, CA 93449
(805) 235-6604

April 2, 2013

Nipomo Community Services District Board of Directors
P.O. Box 326
Nipomo, CA 93444-0326

SUBJECT: Letter of Support for the Nipomo Phased Supplemental Water Project and Other Groundwater Restoration Projects

Dear Honorable Directors,

This letter communicates the City of Pismo Beach's support for the Nipomo Community Services District's (NCSD) Phased Supplemental Water Project and outlines why this project is so critically important to the health of the Santa Maria Groundwater Basin (SMGB).

The Northern Cities Management Area (NCMA) agencies, consisting of the Oceano Community Services District and the Cities of Arroyo Grande, Grover Beach and Pismo Beach, rely upon groundwater within the SMGB as a crucial component of their water supply portfolio. For nearly 30 years, the NCMA agencies have limited their pumping and invested in surface water supplies so as to not exceed the safe yield of the NCMA of the SMGB.

However, the NCMA is not hydrologically isolated from the rest of the SMGB; and increased growth and excessive pumping on the Nipomo Mesa have contributed to a deepening groundwater depression underlying the Nipomo Mesa Management Area (NMMA) that threatens the NCMA's groundwater supplies. This excessive pumping and the associated groundwater depression have eliminated the historical inflow from the NMMA to the NCMA of approximately 1300 acre-feet per year and threaten to reverse flow between the two management areas, further reducing the groundwater available to urban and agriculture users in the NCMA.

To address the pumping in excess of local recharge and the growing groundwater depression in the NMMA, the Settlement Stipulation and Judgment require the NCSD to purchase and deliver a minimum of 2,500 acre-feet per year (AFY) of supplemental water to the Nipomo Mesa. The NCMA agencies support the NCSD's implementation of a Supplemental Water Project because it is urgently needed to help correct the imbalance of water supply and demand in NMMA.

In addition to the development of supplemental water supplies, the NCSD and other water purveyors must prudently manage growth in the NMMA to avoid further increasing the deficit between water demand and available supply. The NCMA agencies are gravely concerned about the NCSD's Board of Director's recent action to suspend Ordinance 2012-117 and to begin processing new applications for water service. While the NCMA agencies support the currently proposed plans to construct a phased Supplemental Water Project that will deliver approximately 650-900 AFY, they oppose the development of any additional connections to the NCSD distribution system and any other increasing demands on the Nipomo Mesa groundwater

supply until such time as groundwater pumping in the NMMA no longer exceeds the supply and the NCSD delivers the full 2,500 acre-feet per year required by the judgment.

Upon review of the Draft Final Report by the Supplemental Water Alternatives Evaluation Committee (SWAEC), the NCMA agencies are in support of the committee's recommendations to the NCSD to develop a groundwater model for the SMGB and for improved water conservation.


Through the SMGB Management Areas Technical Subcommittee, which includes technical representatives from each of the management areas, the NCMA representatives have advocated for the coordinated development of a groundwater model for the NCMA and NMMA since 2010. The NCMA agencies funded the development of an Integrated Regional Water Management Planning Grant application to characterize the groundwater basin and a Local Groundwater Assistance (LGA) grant application to develop a Salt and Nutrient Management Plan for the NCMA and NMMA. These projects were intended to allow the NCMA and NMMA agencies to improve their understanding of the basin's hydrology and hydrogeology, quantify the safe yield of each of the management areas and protect the groundwater water quality.

Additionally, the NCMA agencies support the recommendations of the SWAEC for increased conservation measures by the NCSD. As identified in the Final Draft SWAEC report, conservation in the NCSD can be improved through implementation of the following measures:

- Expand membership on the NCSD Water Conservation Committee
- Re-establish NCSD Water Conservation and Public Outreach Position
- Provide better public education programs and improve media outreach
- Become more accessible to community members through events
- Develop graywater demonstration projects

In closing, the Santa Maria Groundwater Basin is a critical water resource that provides water supplies to more than 53,000 residents and thousands of acres of irrigated cropland in the NCMA and NMMA. Pumping in excess of local recharge on the Nipomo Mesa is creating a deepening depression that threatens the long term reliability of the SMGB. The Nipomo Supplemental Water Supply Project is a small but urgently necessary first step to begin to address this issue. However, the NMMA must obtain additional supplemental supplies, coupled with growth management, enhanced conservation, and improved understanding of the hydrogeology and geology of the groundwater basin – all of these are urgently needed to restore the sustainability of the NMMA's and the NCMA's groundwater resources.

Sincerely,



Shelly Higginbotham,
Mayor, on behalf of the City Council
Pismo Beach



APRIL 10, 2013

ITEM F

ATTACHMENT B

NIPOMO COMMUNITY SERVICES DISTRICT

MARCH 12, 2013

1:00 P.M.

MEETING MINUTES

SUPPLEMENTAL WATER ALTERNATIVES EVALUATION COMMITTEE

APPOINTED COMMITTEE MEMBERS

MICHAEL K. NUNLEY, CHAIRMAN (NON-VOTING)
PETER V. SEVCIK, VICE CHAIRMAN (NON-VOTING)
DAN GARSON (VOTING)
DENNIS GRAUE (VOTING)
KATHIE MATSUYAMA (VOTING)
ROBERT MILLER (VOTING)
SAM SALTOUN (VOTING)
DAVE WATSON (VOTING)
DAN WOODSON (VOTING)

PRINCIPAL STAFF

MICHAEL S. LEBRUN, GENERAL MANAGER
LISA BOGNUDA, ASST GM/FINANCE DIRECTOR

MEETING LOCATION - District Board Room 148 S. Wilson Street, Nipomo, California

1. CALL TO ORDER, FLAG SALUTE AND ROLL CALL

Chairman Nunley called the Special Meeting of March 12, 2013, to order at 1:05 PM. At roll call, Committee members Garson, Matsuyama, Miller, and Woodson were present. Members Graue, Watson, and Saltoun were absent. Chairman Nunley noted that the absent members had notified him that they could not attend and had provided comments for completion of the Final Report.

2. REVIEW DRAFT MINUTES FROM FEBRUARY 4, 2013, COMMITTEE MEETING

The Committee members unanimously approved the draft meeting minutes with no edits.

3. REVIEW DRAFT MINUTES FROM FEBRUARY 15, 2013, COMMITTEE MEETING

The Committee members unanimously voted to revise the draft meeting minutes and finalize the revised draft. Final meeting minutes are attached.

4. REVIEW DRAFT MINUTES FROM FEBRUARY 22, 2013, COMMITTEE MEETING

The Committee members unanimously approved the draft meeting minutes with no edits.

5. EDIT AND FINALIZE COMMITTEE REPORT

Chairman Nunley led the review of edits for the final report, including the Executive Summary. Edits had been provided by members Graue, Saltoun, and Watson.

The Committee members discussed minor formatting issues and edits. The more substantial changes are summarized below:

SUPPLEMENTAL WATER ALTERNATIVES EVALUATION COMMITTEE

- Note in the Executive Summary that subcommittee members had met nearly 80 times during the Committee's work.
- Revise discussion of legal constraints in Local Groundwater evaluation section to include stipulation's provisions against development of wells by NMMA purveyors outside of the NMMA. Member Garson noted, for the record, that the local groundwater subcommittee had concluded that the riverside wells were not a feasible alternative due to legal constraints.
- Include recommendations for participation in a regional partnership in water conservation and possibly hiring a regional conservation manager.
- Include PhD, PE, and similar licenses/certifications/doctoral degrees with Committee members' names in the Introduction section.
- Include "various well completion intervals" in the list of items to be evaluated in the recommended aquifer management study in the Recommendations section.
- Correct Phillips 66 groundwater production in the Agricultural and Industrial Reuse evaluation section as 1100 AFY.

Member Miller asked if the Board of Directors had provided comments. Chairman Nunley noted that they had minor edits which he had presented for the Committee's consideration.

Public Comment:

Bill Petrick, Nipomo resident, presented a letter from a group called the "Mesa Community Alliance" dated March 11, 2013. The letter is attached. He said the Santa Maria Waterline Intertie and riverside well alternatives are both moving water from the same aquifer onto the Nipomo Mesa. The riverside wells would be cheaper and would only be a temporary option, unlike the 30-year agreement between the City and the District. He asked the Committee to reconsider their comments about legal constraints to the riverside well alternatives. He said the Santa Maria Waterline Intertie alternative should be removed from consideration and Phase I of that project should be reviewed to determine if it is feasible. The Phase I alternative was not correctly scored since it delivers a limited amount of water. He said the scoring matrix could be applied to reach any conclusion desired by the user. He also noted that he thought the community had voted against the project, whereas the District said the community had voted against the financing approach.

Larry Vierheilig, District Director, asked the Committee to look for the word "imitative" in the report and make sure it is replaced with the word "initiative". He said riverside wells had been discussed by the District many years before the Committee was formed. It was the Board's opinion that the District should not look into riverside wells or any wells near the NMMA boundary until there was a thorough understanding of water flow across the boundaries between the management areas. He said he thought the City of Santa Maria's main production wells are south of the City, not along the river. He noted that the work of the previous District Conservation Manager had been less stellar than described in the Recommendations section of the report.

Member Miller said the City of Santa Maria has stringent salt limits on the effluent from the wastewater treatment plant. They need to keep their blend of surface and groundwater at 50% to maintain salts levels below their effluent limit. He said there is a thorough, well-tested, well-calibrated model in Los Osos and it had been concluded that more water could be pumped if wells are placed farther away from the coast. The District could theoretically pump more water if wells are located away from the coast, if this is also the case on the Mesa.

SUPPLEMENTAL WATER ALTERNATIVES EVALUATION COMMITTEE

Member Garson noted that it appears that the recommendations are getting more attention than the ranking.

Member Miller said he liked that the Committee had posted the ranking spreadsheet on the website for community members to use. Chairman Nunley said posting the tool allows other groups to develop and present their own recommendations to the Board, if they so desire. Posting the spreadsheet tool was Member Saltoun's idea.

The Committee unanimously voted to accept the edits proposed and develop a Final Report.

6. DISCUSSION OF "NEXT STEPS"

Chairman Nunley presented the item.

Public Comment:

Bill Petrick, Nipomo resident, said he thought it would be excellent for some Committee members to present their report at community meetings. He said Mesa Community Alliance had put together public meetings on the Santa Maria Waterline Intertie project around the community and the group would be willing to help put schedule meetings for the Committee to present their findings.

John Sonksen, Cypress Ridge resident, said the District has a credibility problem and until the aquifer management study is performed, the community will not accept the top-ranked alternatives, and it is likely the reason that the sale of State Water has been voted down three times. He hopes this message gets to the Board.

The Committee voted unanimously to defer this item until the next meeting when all Committee members could be in attendance. The Committee voted unanimously to schedule the next meeting for March 26 at 1 PM or any other date/time that could be approved via email by all the Committee members, if that date/time does not work.

7. ADJOURN

Chairman Nunley adjourned the meeting at 2:15 PM.

ATTACHMENTS:

Attachment 1 - Final Minutes - Feb 15 SWAEC Meeting

Attachment 2 - Letter dated March 11, 2013, from Liam Bennett

NOTE

Detailed edits and revisions from the Item 5 discussion were incorporated into the Final Report dated March 15, 2013.

NIPOMO COMMUNITY SERVICES DISTRICT

FEBRUARY 15, 2013

9:00 A.M.

MEETING MINUTES

SUPPLEMENTAL WATER ALTERNATIVES EVALUATION COMMITTEE

APPOINTED COMMITTEE MEMBERS

MICHAEL K. NUNLEY, CHAIRMAN (NON-VOTING)
PETER V. SEVCIK, VICE CHAIRMAN (NON-VOTING)
DAN GARSON (VOTING)
DENNIS GRAUE (VOTING)
KATHIE MATSUYAMA (VOTING)
ROBERT MILLER (VOTING)
SAM SALTOUN (VOTING)
DAVE WATSON (VOTING)
DAN WOODSON (VOTING)

PRINCIPAL STAFF

MICHAEL S. LEBRUN, GENERAL MANAGER
LISA BOGNUDA, ASST GM/FINANCE DIRECTOR

MEETING LOCATION - District Board Room 148 S. Wilson Street, Nipomo, California

1. CALL TO ORDER, FLAG SALUTE AND ROLL CALL

Chairman Nunley called the Special Meeting of February 15, 2013, to order at 9:02 AM and led the flag salute. At roll call, all Committee members were present.

2. GENERAL MANAGER'S REPORT

NCSD General Manager, Michael LeBrun, said the Committee's report to the NCSD Board of Directors on Wednesday was exceptional and was well-done. The Board expresses great thanks and looks forward to the draft final report which will be presented on February 27th at the next Board meeting.

On Wednesday, the District Board directed staff to authorize release of the request for bids for the first Phase 1 Santa Maria Intertie Project bid package (Santa Maria River crossing). The Board plans to make a final decision on April 24th to award the construction contract after bids are received. The Phase 1 Santa Maria Intertie Project would be an important first component of the District's Supplemental Water Program and would allow the Board to import water by the middle of 2015.

Member Miller asked how the Directors voted on the decision to release the request for bids. General Manager LeBrun said that the vote was 4 to 1 in favor of releasing bids, with Director Blair disapproving of the action. The General Manager noted that Director Blair had been looking into water supplies in the Oso Flaco area, at the Phillips 66 Refinery, and from the SSLOCSD Wastewater Treatment Facility. Mr. LeBrun said he reminded the Director that the Committee was looking at all these alternatives.

Member Matsuyama asked if there was public comment about release of the request for bids. Mr. LeBrun responded that the development community and others expressed support. Two individuals had spoken against the project and one had opined that the assessment vote represented a vote by the community against the Supplemental Water Project. The

SUPPLEMENTAL WATER ALTERNATIVES EVALUATION COMMITTEE

opinion was countered by the Board and staff who noted that when a funding plan falls apart on a project, it does not mean the project falls apart.

Member Garson asked if Director Blair was looking into any alternatives that are not being evaluated by the Committee and Mr. LeBrun said he was not.

Member Miller thanked Member Saltoun for presenting to the Board. Chairman Nunley noted Members Graue, Woodson, and Matsuyama had attended and he thanked them. He said all the Board members had expressed appreciation for all the time and technical expertise that had been donated by the Committee.

Member Matsuyama said she was surprised by Director Blair's alternatives since they had been reviewed and largely considered not feasible by the Committee, and particularly since he is talking about them this late in the process.

Member Saltoun said he hopes the public will review the report when it is published and it could change the way people view the alternatives.

Member Saltoun and General Manager LeBrun discussed cloud-seeding. Mr. LeBrun said cloud-seeding has taken place in the Twitchell Reservoir watershed. Member Graue asked if it had been effective and Mr. LeBrun said he did not know.

Member Garson asked if Oceano CSD (OCSD) had formalized their offer to the District. Mr. LeBrun said there had been no further information. He followed up with Tom Geaslen, the OCSD General Manager, but had no additional information. Member Garson asked if additional action was required from the Committee on this alternative. Member Miller said he thought the Committee had performed their due diligence on the alternative based on the information at hand, and Member Saltoun agreed this was similar to how other alternatives had been approached by the Committee.

Chairman Nunley said there could be several alternatives the Board may want to evaluate in more detail after the report is finished, and if OCSD continues to contact the District the Board could continue evaluating this alternative.

There was no public comment.

3. REVIEW DRAFT MINUTES FROM JANUARY 25, 2013, COMMITTEE MEETING

Chairman Nunley said he would give the Committee several days to review the February 4 meeting minutes prior to requesting revision or approval at the next meeting. The Committee voted unanimously to accept the January 25 minutes with no changes.

4. REVIEW RANKING MATRIX

Chairman Nunley introduced the item and mentioned raw scores had been presented to the Board of Directors at their February 13 meeting.

Member Graue presented the summary ranking matrix that his subcommittee had developed. He said he felt that totaling the raw scores would not be a measure of what the Committee thought was important because some of the columns are redundant, among other reasons. He felt the proposed scheme would help emphasize the criteria the Committee feels are most important for ranking alternatives.

Member Garson said he thought the simplified matrix was effective in simplifying the 18 evaluation criteria and would be a good summary of the Committee's work product. He felt

SUPPLEMENTAL WATER ALTERNATIVES EVALUATION COMMITTEE

the weighting could be contested. He thought reliability and a long project life could be very important, although they are not the highest-weighted criteria, and other Committee members could have similar concerns based on what they felt was most important. Member Saltoun said he thought Member Watson's suggestion to weight criteria evenly was appropriate, and had just level-weighted the major categories in the draft document. Member Garson said the Committee would need to make sure they were comfortable with that. Member Saltoun said he thought it was important to agree on which criteria go into which category. For instance, several criteria could be related to the cost category. Member Garson agreed the group would need to reach consensus on how to group the criteria. Member Miller said he likes the way the categories were approached and likes that cost has a high weighting in the categorized matrix. He would like to revisit how the rubric is applied.

Chairman Nunley noted the Committee had applied a few different weighting methods as well as calculating unweighted raw scores, but it did not significantly affect which alternatives ranked highest. Member Garson said he thought local groundwater should be recalculated based on Member Miller's input given his design experience with wells in the area and other information the subcommittee had heard. He thought the Committee should tighten these scores as a group. Member Watson said he thought it is valuable to revisit scores & the rubric and he felt it would be difficult to explain two levels of ranking or weighting to the public. He said he had been considering how the Committee would present the ranking results and then also develop recommendations for how the Board should proceed. For example, he was pleasantly surprised at how the desalination options rose to the top and it made him think about how the Committee should look at those alternatives that are longer-term solutions versus those that are shorter-term solutions. Member Matsuyama said she thought the Committee was spending too much time worrying about scoring and weighting, and the Committee had looked at numbers in different formats and different ways and had found the same results. She also felt the Committee was spending too much time thinking about how to explain the ranking analysis and results to the public whereas the Committee should be spending more time detailing and packaging the projects. She said the first public commenter at the Wednesday meeting had noted the Committee's ranking process was subjective and she agreed and she felt the Committee's work should be focused on the projects.

Members Watson asked where the matrix should be presented in the report. Member Matsuyama suggested the more detailed matrix should be included with the technical evaluations in the back of the report so they don't become the focus of the report. Chairman Nunley said he had envisioned an Executive Summary that would be a brief intro, discussion of process, and recommendations. The matrix could be the next page and all the other work products would go in the report. He noted the detailed matrix provides sufficient information to allow the District to take some of the alternatives like recycled water that may have ranked lower in the matrix, but could be considered more attractive when viewed as part of the County's pending regional recycled water study. The matrix provides enough information for the Board and staff to reconsider these alternatives if new information or opportunities are identified. Member Miller said the snapshot summary was important for the public based on his experience. Member Saltoun said the summary matrix spreadsheet tool could be placed on the website for use or review by the public. Member Woodson suggested adding patterns to the color so it would print black & white and could be reviewed by folks who are colorblind.

Member Watson asked if alternatives should be separated into categories in the report based on which the Committee would recommend pursuing. Chairman Nunley responded that the summary matrix allows sorting by rank. Member Garson said he thought the

SUPPLEMENTAL WATER ALTERNATIVES EVALUATION COMMITTEE

executive summary should sort the alternatives by rank and he did not favor splitting the project list into categories.

Chairman Nunley asked Director Armstrong to provide an opinion on the presentation of the ranking matrix. Director Armstrong said he would be inclined to put the lowest-ranked alternatives in the appendix instead of the executive summary. Member Matsuyama and Chairman Nunley expressed support for including all the alternatives in the summary matrix since the public may not read much farther. Member Saltoun said there could be hyperlinks between the summary matrix entries and the detailed evaluation sections.

Member Watson suggested assigning each alternative with a single number in the matrix. Chairman Nunley suggested assigning letters so there would not be confusion with numerical rankings. Member Saltoun said it would be simple to do this in the matrix. Chairman Nunley expressed support for assigning patterns as well as colors to the summary matrix scores.

Chairman Nunley asked how the Committee members felt about grouping all 18 criteria into broad categories, the category assignments themselves; and weighting each broad category the same. He said he thought assigning the highest weighting to each cost category was appropriate. Member Miller expressed support for the proposed categories and weighting. Member Watson asked if buy-in cost should be a third cost criterion for consideration. Member Saltoun said he thought State Water would be the only alternative with a "buy-in" cost and that cost was included in the capital cost for those variations. Chairman Nunley noted that buy-in was broken out in the detailed evaluations. Member Woodson said engineering alternatives often group capital and operation & maintenance costs for a single cost in order to simplify an analysis. Member Watson said he thought this would prevent emphasizing some important differences between cost categories. Member Saltoun said buy-in cost could be added as a separate column. Chairman Nunley noted he thought buy-in cost would be difficult to explain to the public, given the subjectivity, especially in one cell of a spreadsheet. Member Garson asked if adding buy-in cost would affect the rankings. Member Saltoun said scoring this as a new criteria and evenly weighting it within the cost category could affect the ranking.

Director Armstrong suggested showing the cost per acre foot (including amortized capital cost) would be a simpler way to present cost alternatives. Various members discussed useful life of different project components that would be used for amortizing the capital costs.

Member Saltoun reminded the group that a public commenter had suggested breaking the capital and operation & maintenance costs into separate columns at a past meeting in order to prevent developing financing, lifecycle, or amortization assumptions. He felt taking the wide range of costs and combining them into a single number would not be meaningful. Member Graue said he likes the single number approach which is the standard way that desalination companies present their numbers. Chairman Nunley noted that debt service can vary widely and recognized that the desalination industry commonly presents estimates this way. He thought that not all the reports being used for cost opinions will have sufficient information to develop amortized costs per AF. He noted that the desalination studies are comparing similar facilities with similar design lives and financing periods so it would be easier to compare them on a cost per AF basis. Member Watson said he felt that the alternative costs could be presented relatively simply with some assumptions. Member Graue said it would be nice to help the ratepayers understand what impact different projects would have on their monthly rates. Director Armstrong asked if some of the costs from studies would be escalated between the year of the study and today. Chairman Nunley said

SUPPLEMENTAL WATER ALTERNATIVES EVALUATION COMMITTEE

it could be done. Member Garson asked that the Committee reconsider the initial question about including buy-in cost as a separate criterion. He felt the Committee should not try to provide a detailed financial assessment nor is it their task. Chairman Nunley said he did not think there was sufficient value in adding buy-in cost as a separate column (since it is already included in capital cost). Member Miller said he supported "staying the course" and letting the Board determine rate impacts after the Committee has completed their work and the Board has decided how to move forward. Chairman Nunley said he thought making financing assumptions could risk weakening the entire analysis if the Board goes a different direction with financing than what the Board had assumed. Members Matsuyama and Saltoun quoted the introductory paragraph from the cost section of their State Water alternative evaluation. Chairman Nunley suggested including this paragraph in the overall cost summary section.

Member Miller asked if the other Committee members agreed that the summary matrix should be in the executive summary with the more detailed work and ranking matrix in the appendix of the report.

Chairman Nunley asked if the Committee members would like to reconsider the rubric in order to make sure all members are applying the same approach to scoring the alternatives. Member Garson expressed support for the Committee members reviewing the rubric and scoring methodology. Member Miller asked if there were other criteria than court compliance that should be revisited. Members Watson and Garson discussed going through the full matrix one cell at a time. Vice Chair Sevcik asked for the Committee to reconsider the 6200 AF supply potential criteria and the score of 5 assigned to the Santa Maria Intertie alternatives whereas local groundwater had been assigned a score of 10.

Member Garson said the committee has assumed that 8 wells could deliver 1000 AFY but based on discussion with Member Miller, they recognized that shallow groundwater would not be available across the Mesa. Member Garson asked if 22 wells could be located to deliver 3000 AFY. Members Miller and Garson agreed on a score of 1 for 6200 AFY supply potential. Member Miller thought it was unlikely that 22 wells could be located across the Mesa to collect shallow groundwater in the most promising areas without interfering with each other. Member Graue said the Committee could only have a "gut feel" about yield. Member Miller felt there was probably a significant source of supply in shallow groundwater but not 3000 AFY. Member Garson asked how many wells could be constructed. Member Miller responded that he thought that 10 or 12 could be installed. Member Garson said he accepted the logic and a 5 sounded appropriate for the 3000 AFY supply potential criterion. Member Saltoun said he thought the Committee was discussing collecting some of the flow going to the ocean instead of installing wells on the Mesa. Member Miller said the shallow groundwater withdrawal could be water flowing to the ocean or water on the Mesa, and does not need to be an "either/or" choice. Member Saltoun said outflow to the ocean was about 1000 AFY from the Mesa but the flow picks up considerably farther south according to the Papadopoulos report. Chairman Nunley said a purveyor on the Mesa cannot drill wells in another management area. Member Matsuyama said a member of the public had approached the Committee and had asked about the legal opinion that had prevented purveyors on the Mesa from acquiring water from other management areas. Chairman Nunley discussed the riverside wells, and noted that the concern is based on a letter from Santa Maria Valley Water Conservation District (SMWWCD) admonishing the NCSD not to withdraw water for which SMWWCD has rights from the river underflow. He also noted that a legal opinion on this had been issued by the District's attorney, Jim Markman, who had also reviewed the analysis of this alternative in the 2007 Boyle Constraints Analysis. Chairman Nunley said based on the percentage of supply potential, at 1500 AFY it appeared the scores for 1000, 3000, and 6200 AFY supply potential should be

SUPPLEMENTAL WATER ALTERNATIVES EVALUATION COMMITTEE

10, 5, and 1. Delivery milestones for 1000, 3000, and 6200 AFY should be 10, 1, and 1 per Member Graue.

Member Miller discussed the court compliance criteria and said in his experience, projects that can be mutually agreed upon by all parties and that are not in direct conflict with a court order can be accepted by the court. He felt assigning a 10 or 1, based on court compliance or non-compliance, was too restrictive. Member Matsuyama said it may be difficult to get all the stipulating parties to agree upon a project. Member Miller said alternative projects can be presented to the court and an opportunity is provided for stipulating parties to oppose the proposal, but the proposer does not need to ask all individual parties for their approval prior to presenting it to the court.

Chairman Nunley said the Bylaws require the Committee to evaluate only alternatives that comply with the court stipulation, and the Committee had incorporated that requirement by creating a category for it. Vice Chair Sevcik said he agreed with Member Miller that the Court would likely accept other imported water options even if they are lower than the 2500 AFY requirement. Member Saltoun asked if Ed Eby, who was in the audience, could speak to the court compliance issue.

Public Comment:

Ed Eby, Nipomo resident, said when the Bylaws were written that the Board had only considered compliance and non-compliance, but he thought there could be "shades of gray". For example, water from OCSD could meet the spirit of the stipulation but would require approval from all the parties and the court. It would likely take over a year. The stipulation was signed in 2005 and the court order was 2 years later. He asked hypothetically, "Would you hold off on any project until you have the court order, or risk proceeding without court approval?" Also there is a risk that someone could oppose the project since it would not have received court approval, if it had not been received prior to moving forward.

Mr. Eby suggested using a lifecycle cost instead of individual capital and operation & maintenance cost. He said many customers would not see a lot of project capital costs, for example from the Phase I Santa Maria Intertie Project, in their bill because NCSD would apply budget toward this project instead of another effort. He also wondered if the cost for the different options was based on 1000, 3000, or 6200 AFY deliveries. He thought it could be cleaner to evaluate cost to deliver water based on the court order. Member Saltoun said his committee had evaluated the cost to deliver the maximum amount of water (up to 6200 AFY) that could be supplied by a particular source. Mr. Eby said this should be reconsidered since it could be very expensive to get from 3000 to 6200 AFY. For example, it appears the Santa Maria Intertie Project would cost an additional \$30M to deliver 6200 AFY versus 3000 AFY.

Mr. Eby said costs for an array of wells across Santa Barbara and San Luis Obispo Counties must consider length of pipeline and spacing of wells. He said 3000 AFY delivery would duplicate the District's well system and would be a very expensive project and feasibility should be reconsidered. He said the shallow groundwater could be considered a seawater barrier and extracting large quantities of that water could be a risk to intrusion. He thought the cost would be much higher than a score of 10 suggests.

Mr. Eby said he thought the Santa Maria Intertie could be phased as well as desalination and could not see why they were scored differently for phasing. He thought the SSLOCSD Wastewater Treatment option could provide approximately 3000 AFY and if all that water could be reclaimed, a pipeline would be required and a 30-year commitment would be

SUPPLEMENTAL WATER ALTERNATIVES EVALUATION COMMITTEE

needed. He thought several entities would want that water if it became available, and public reaction within Five Cities would be negative if it were offered for to NCS D for a long period of time.

He thought carrying the final scores to four decimal points was too precise.

Member Miller thought from a technical standpoint, shallow wells would be located in SLO County but the groundwater study would need to incorporate or consider Santa Barbara County. He agreed with Mr. Eby that maintaining water levels along the coast was important to prevent seawater intrusion, but shallow water levels are much higher than needed to prevent seawater intrusion. There must always be an outflow to the ocean but some water may still be available. He thinks, however, it is a very limited supply. If the source can be delivered close to point of use, the cost could be low. He did not feel strongly about the phasing score for the Santa Maria Intertie. He thought desalination may be a little more readily phased and Members Saltoun, Matsuyama, and Graue discussed.

Chairman Nunley suggested reviewing the rubric. He thought finalizing the report should proceed concurrently with finalizing scores. It would take a couple of days to get the administrative draft together but would be good to agree on the rubric now.

Member Matsuyama pointed out that only 4 projects did not assign scores of 1 or 10 to Court Compliance.

Chairman Nunley read several components of the rubric and discussed his concern about adding lifecycle cost or other items to the matrix, given the schedule and the need to report findings to the Board to inform their decisions soon. Member Miller said he did not think there should be any changes to the cost criteria in the matrix and Member Matsuyama said there was sufficient detail in the evaluations to address concerns about buy-in or other costs.

Member Miller suggested assigning scores of 1 to 3 under court compliance for projects that are substantially non-conforming with the court order and middle scores for those that could be acceptable by the court and stipulating parties but would require approval. Various members discussed how to score this criterion. Member Saltoun suggested that the court compliance quantity criterion could have scores of 8 to 10 if 2000 to 2500 AFY could be delivered. Members Woodson, Miller, and Watson discussed assigning a score of 5 if a project is expected to be viewed favorably by the court (under the source criteria). Member Saltoun said method and quantity are both defined explicitly in the stipulation, whereas the supply (City of Santa Maria) is inferred by the method and language.

Chairman Nunley noted the court compliance – method criteria accounts for 3% of the total score and court compliance is one of the evaluation criteria require in the bylaws. He said it sounds like the Committee will assign a 1 or 10 for method and a 1, 5, or 10 for source. Member Saltoun discussed the Committee having a conversation in the past that the court may be more open to a different method than a different quantity. Member Saltoun suggested 1 point if it does not comply; 5 points if it is likely to be approved; and 10 points if it is in compliance (both method & source). Member Matsuyama and Chairman Nunley discussed the history of splitting the original court compliance criterion into multiple criteria.

The Committee members voted unanimously to assign a score of 1, 5, or 10 for method and source; and scale of 1-10 for quantity, varying by amount proportional to 2500 AFY.

There was no public comment on the motion.

SPECIAL MEETING MINUTES
SUPPLEMENTAL WATER ALTERNATIVES EVALUATION COMMITTEE

Member Miller asked Chairman Nunley to adjust scores based on the motion.

The Committee next discussed critical milestones for delivery. Under 6200 AFY milestone, Member Saltoun suggested noting a date for delivery. Chairman Nunley responded that the rubric identifies the schedule as "past 2030" and Member Saltoun suggested adding 2030 to the criterion title.

The Committee unanimously voted to accept the rubric for critical milestones for delivery and to ask that the rubric be revised to emphasize the 2030 date for 6200 AFY delivery. They also voted to direct the Chairman to apply these changes to all the scores for review by the full Committee.

Member Miller suggested revising the desalination score for phasing to match the score for the Santa Maria Intertie project.

Chairman Nunley suggested that he create a draft version of the matrix based on applying the rubric and circulate it to the Committee for consideration. Member Saltoun expressed support since the Chairman had been the only person who had seen all the alternative evaluations. Member Graue specified this would be focused on the court compliance areas and phasing as discussed. Members Watson and Miller asked that any changes be highlighted with notes.

Public Comment:

Ed Eby noted that all desalination projects would require pilot testing so that note should be assigned consistently. Member Graue asked if pilot testing would be required for reverse osmosis. Mr. Eby responded that wells and other components would require testing. Chairman Nunley said piloting would be required for developing beach wells and for nailing down pretreatment requirements. Member Miller clarified that the technology for solar distillation would need to be piloted.

The Committee voted unanimously to direct the Chairman to look at scores already entered; look at the narrative analysis submitted by subcommittees; look at the rubric; show revised scoring for the entire matrix; and send it out to the subcommittees for consideration and modification.

Member Watson asked if local shallow groundwater would refer to wells inside the NMMA or outside the NMMA. He asked for clarification since the description in the matrix identifies the need for a groundwater study in SLO and Santa Barbara Counties. Member Matsuyama said her subcommittee would clarify this item.

Chairman Nunley said pipeline costs would be important to capture since multiple wells would be required and tying them together could be a significant cost. He also said the subcommittee should consider water quality. Member Miller said that water for use by golf courses or process water for Phillips 66 would not likely require treatment although this could change over time; for instance, nitrate concentrations are currently below maximum contaminant levels but could change.

Chairman Nunley said he thought the facility costs for solar distillation, due to the size of the land area, could be understated since pipeline costs, roads, and supporting facilities could be significant. Member Graue said the costs were very preliminary at this stage anyway, except for pipelines to and from the site. Chairman Nunley said he thought the power cost

SUPPLEMENTAL WATER ALTERNATIVES EVALUATION COMMITTEE

appeared to be appropriate but capital costs could be significantly higher than reverse osmosis. Member Graue said he had used 2 liters/sq meter/day but efficiency could have a large impact on land area required.

Member Saltoun said the statement "pilot testing required for proof of concept" should be applied to the solar distillation descriptions in the matrix and Members Matsuyama and Graue expressed support.

Member Saltoun suggested "regional basinwide aquifer study and modeling in SLO and Santa Barbara Counties required" should be added to the local shallow groundwater description in the matrix. Member Matsuyama asked Member Saltoun to take the background color off of the matrix so it will be more readable. She also suggested that the cost criteria titles note that this is the cost to deliver 3000 AFY. Chairman Nunley said the rubric could be modified to note that costs were developed for either 3000 AFY or for the "design flow". Member Matsuyama said the cost titles could reference the rubric for definition.

Member Saltoun suggested adjusting the court compliance titles to include "part 1" and "part 2" since they are separated across different major categories.

Member Saltoun said the subcommittee had preliminarily determined which criteria should go in which category, and the Committee should agree or modify the categories.

The Committee unanimously voted to accept the draft categories as proposed by Member Saltoun's subcommittee.

5. COORDINATE COMPLETION OF DRAFT REPORT AND BOARD PRESENTATION

Chairman Nunley presented the item. Member Matsuyama asked if the Board needs a draft report in advance of the Board meeting on February 27. Chairman Nunley said he had assumed he would send out the full administrative draft today for comments by the subcommittee, and then make any changes early next week. He asked the Vice Chair if the draft report could be walked into the next meeting. Member Matsuyama asked if the Committee would go back to the Board in 2 weeks to respond to comments in order to allow time for review. She thought this would give the public the same opportunity. Chairman Nunley said the draft final report represents the Committee's complete analysis and all work has been performed in public. He would not see making major adjustments after the draft final is submitted based on comments from the Board or the public. Member Garson said the value with presenting the draft would be for the Committee to be able to address any major problems if they are identified by the Board.

Chairman Nunley said he thought he should send the revised matrix and rubric out to the subcommittees by Monday. He said the Committee members will be looking at the introduction (drafted by Member Watson), recommendations, and other subcommittees' work for the first time. Member Miller thought the Committee may want to have another meeting next Friday so the full Committee could approve the report as a draft with edits based on their discussion. That would allow a few days early the following week to make copies and distribute by Wednesday, February 27th. Otherwise, trying to provide the report in the Board packet would not allow sufficient time to resolve any conflicting comments from Committee members.

SPECIAL MEETING MINUTES
SUPPLEMENTAL WATER ALTERNATIVES EVALUATION COMMITTEE

Member Garson said it would appear the goal of the next meeting would be to debate or discuss any changes, then edit or correct items. This would be the sole purpose of the next meeting.

Vice Chair Sevcik said he has safety training next Friday and cannot make the meeting. He said he is comfortable with the Committee meeting that day since it appeared there was not another good day or time for the Committee members to meet again. He felt the discussion by the Committee on resolving the rubric and scores had addressed some of his concerns.

Member Matsuyama said she would provide a revised conservation section by Monday. Member Graue noted Chairman Nunley would send the groundwater section to the NMMA Technical Group for comments. Chairman Nunley noted he was working with a subcommittee on the surface water, recycled wastewater, and regional intertie sections. Member Saltoun noted his subcommittee would take another look at capital costs for solar distillation. The Graue/Matsuyama/Saltoun subcommittee said they would provide a revised agricultural and industrial reuse evaluation on Monday.

Member Saltoun asked the Committee to confirm that the weightings were acceptable as proposed and various members noted that the last motion captured weightings as well as categories. He also asked the Committee to confirm that letters would be added to identify each alternative and variation. Member Saltoun asked if the comment column should be removed from the summary matrix and various members agreed this should be removed.

Member Matsuyama asked if the GIS map would be completed by the Board meeting. Chairman Nunley said he would provide a board if the map can be completed by then. Chairman Nunley suggested a PowerPoint file for the presentation could include the bulleted recommendations, the summary matrix, and the cost summary table.

Member Saltoun said he would have all the edits compiled in the matrix and supporting sheets so the Chairman can send his suggested scores on the update matrix.

The Committee voted unanimously to send revised sections to the Chairman on Monday; schedule the next meeting on February 22 at 11 AM to review the draft report; and present the report findings and provide the draft report to the Board on February 27.

Member Graue asked the Chairman to provide hard copies of the draft report as early as possible, prior to the meeting on the 22nd, and the Chairman said he would make copies available for members at the District office.

Member Saltoun suggested some additional wording for the recommendations based on discussions he had with members of the public following the last Board presentation by the Committee. Member Graue felt the proposed wording of the aquifer management study would address some of the concerns expressed by Paavo Ogren. Member Matsuyama said she would be including suggestions in the conservation section to help low-income users. She mentioned PG&E's programs to ensure low-income customers have heat during the winter. Chairman Nunley noted that unlike PG&E, NCSD is a non-profit so the community would need to decide to take on more burden to support these customers. Member Miller said SLO County is looking into Community Development Block Grant (CDBG) funds for these types of issues so there may be some creative solutions out there. Members Woodson and Matsuyama said they would like to see NCSD maximize opportunities like that. Member Garson and Chairman Nunley discussed opening this recommendation to all water users and all stipulated parties on the Mesa. Member Watson discussed recommending the District and other parties minimize impact of water rate adjustments on

SUPPLEMENTAL WATER ALTERNATIVES EVALUATION COMMITTEE

all users, and in particular low-income customers. Member Graue asked if this statement implied that the District is not already doing this, and Member Watson responded that he did not think that was the case but just wanted to emphasize the importance of minimizing ratepayer impacts.

The Committee unanimously voted to accept changes to the recommendations as modified during the discussion. See below:

Add an introduction to the Recommendations as underlined:

Nipomo Community Services District, stipulated partners, and all water users in the Nipomo Mesa Management Area are encouraged to:

Make the following changes (as underlined):

1. Press for a complete aquifer management study to develop a unified model covering the full extent of the Santa Maria Groundwater Basin and analyze the optional development schemes for use of the water in the Santa Maria Groundwater Basin, considering rainfall and users' pumping plans.
4. Consider solutions that may provide less supplemental water individually, but together can help meet the Nipomo Mesa region's needs.

Add Recommendation 7: Pursue opportunities to minimize the impact of water rate adjustments on all users, and in particular low-income customers.

Chairman Nunley asked if the Committee would want to expand the recommendations and, if so, who should be assigned to do so. Members Garson, Watson, and Miller expressed support for keeping the recommendations as bullet points.

There was no public comment for this motion.

6. **ASSIGN COMMITTEE MEMBERS TO PRESENT DRAFT REPORT TO THE BOARD**
This item was deferred.
7. **PRESENT REFERENCE DOCUMENTS FOR REVIEW AND ACCEPTANCE**
This item was deferred.
8. **SET NEXT COMMITTEE MEETING DATE AND TIME**
The Committee unanimously voted to meet on February 22 at 11:00 during the Item 5 discussion.
9. **ADJOURN**
Chairman Nunley adjourned the meeting at 12:08 PM.

ATTACHMENTS
Draft Matrix

MCA position paper on the SWAEC Report

SUMMARY

1. MCA commends the SWAEC for its diligence and very hard work in analyzing the multitude of options for bringing supplemental water to the Mesa. These seven citizens gave freely of their time and talents and the results will take considerable time to digest. We hope the recommendations will be used to develop water policies throughout the Mesa and that a similar effort that includes all of South County can be continued.
2. MCA agrees completely with the seven recommendations of the SWAEC, including the fact that the recommendations do not include building a pipeline to Santa Maria.
3. MCA does not agree with the alternatives analysis and alternatives ranking. We feel there are missing elements and the scoring matrix is only a guide because it cannot produce an exact ranking. The real value of the matrix is that it shows the most likely candidates for further study, once the basin water model is available. Only then can the “best” options be chosen and defended to the public who will ultimately end up paying for it.

DISCUSSION – SWAEC RECOMMENDATIONS

MCA endorses the number one recommendation of the SWAEC for a full-scale modeling of the Santa Maria aquifer. The Court-appointed NMMA has recommended this study for four years. The costs for such a study are projected to be less than \$1 M for the SLO County portion. However, this modeling must be undertaken and supported by the Boards of Supervisors in both San Luis Obispo and Santa Barbara Counties with costs to be shared. SLO County already has some funds available to begin the study and MCA will endorse any proposal (including a ballot initiative) to complete this important work.

DISCUSSION - ALTERNATIVES

MCA has found three discrepancies in the list of alternatives:

1. The Riverside Wells option should be included, as it is a smaller, faster, cheaper alternative than the Phase 1 Pipeline because:
 - Both the Riverside option and the Phase I option pump groundwater from the same basin and move it to the Mesa – the pipeline just pumps the groundwater from farther away, requiring miles of street piping in Santa Maria, a slant drill under the riverbed, and a chloramination station on the SLO county side of the river.
 - By drilling wells on the SLO County side, the same benefits are obtained without the expense and construction in SB County.
 - There is no 30-year commitment to the City of Santa Maria for expensive water.
 - The argument that SLO County cannot drill wells in SLO County is ridiculous. Why can the City of Santa Maria drill wells in the same basin to export water and NCSD cannot? This argument fails to pass the “smell” test.
2. The Full Santa Maria pipeline should be sent to the “Remove from Consideration” category because of the recently failed Prop 218 vote and the previous two negative votes for state water in Nipomo. Haven’t the people sent a clear enough message? This option will never get funded and, therefore, never get built. Why waste time evaluating an infeasible option?
3. The Phase 1 pipeline should be re-evaluated to ensure it is financially feasible. If the project cannot be properly financed, then it is infeasible and should be dropped.

NCSD has not shared the details of how they plan to finance the project and how that plan will affect the ratepayers of Nipomo. Piling bond payments and expensive water costs onto the community is a path towards bankruptcy. Running out of money after the fact would become critical to the real and long-term solutions that your committee has investigated.

DISCUSSION - SCORING MATRIX

There are too many inconsistencies in the assigned numbers to list here, but a simple example demonstrates the variability in the ranking.

1. The scoring allots 33% to each of the three categories. Why not 25/50/25? After all, the Prop 218 vote shows the public is concerned about costs and no option that requires public funding will win if it is too expensive. By readjusting the weights to more correctly account for the cost factor, the phase 1 pipeline ranking will drop from the number 1 rank to something lower.
2. How can the supply criteria give a 10 to all the Phase I pipeline categories? Phase 1 only delivers 650 AF/Y and does not meet the "Court Order". So all of these slots should be a 1, not a 10, again reducing the rank of the pipeline option.

THE PIPELINE OPTION

MCA strongly opposes NCSD's plans to build a pipeline to Santa Maria. We recognize that the SWAEC had no choice due to the severe constraints imposed by NCSD's purpose and goals document. This pipeline was overwhelmingly rejected in a Prop 218 protest by the Mesa residents from every water supplier. The major supporters were the developers -- \$3.3 M (out of \$6.9M 'yes' votes) from Trilogy's Woodlands Ventures and Shea alone. NCSD's current financing plans through COPs are untenable, not insured, may not be saleable on the market and could lead to bankruptcy of the district (anyone heard about Los Osos?). MCA pledges to fight any water rate increases on NCSD customers to pay for this flaunting of the will of the people

NCSD has not revealed the cost of the water this pipeline will bring, nor have they revealed any new agreement with the City of Santa Maria to reduce water costs. Based on previous agreements, MCA estimates that in 2015 the water plus O&M will cost \$1,800 per acre-foot or \$1.8M for 1000 AF. Will NCSD customers have to foot the entire bill for both pipeline and water?

MCA agrees that supplemental water may be needed in the future. However, NCSD has never proved that a water shortage is imminent. In fact, the shallow water aquifer is rising. MCA does recognize that the Mesa's deep aquifer has a depression near the intersection of Highway 1 and Willow Rd. that is caused by NCSD's pumping 1,000 acre-feet a year from the Eureka and Via Concha wells near that intersection. Reducing that pumping by 50% would likely allow the depression to recover. NCSD has other wells that can be increased and also could drill wells elsewhere for much less than the \$14M cost of the Phase 1 pipeline.

MCA hopes the will of the people will prevail and that the San Luis Obispo Board of Supervisors will endorse the water basin modeling and enlist the cooperation of Santa Barbara County so that intelligent decisions regarding supplemental water can be made.

APRIL 10, 2013

ITEM F

ATTACHMENT C

SLOCountyWater.org

San Luis Obispo County Water Resources
Division of Public Works

Home > Water Resources > Data > Precipitation > Active > Real Time > Nipomo South

[Flood Control](#) [Major Projects](#) [Water Quality Lab](#) [Water Resources](#)

Site Information

Nipomo South (Sensor 730)

Located


- Nipomo Community Service District (NCSD) equipment yard, Nipomo, CA.

Established


- July 1992

Annual Average Rainfall

- 16 inches



Rainfall



Real-Time Rainfall Data

DIADvisor™ Web Reports

Nipomo South Precipitation (Sensor 730)

Period: 3/22/2013 10:00:07 AM to 4/5/2013 10:00:07 AM

Date/Time	In for Report	Accum Inch	Pd Accumulated Rain
04/05/13 02:58:22 AM	0.000	6.929	0.039
04/04/13 02:58:21 PM	0.000	6.929	0.039
04/04/13 07:16:52 AM	0.039	6.929	0.039
04/04/13 02:58:20 AM	0.000	6.890	0.000
04/03/13 02:58:19 PM	0.000	6.890	0.000
04/03/13 02:58:18 AM	0.000	6.890	0.000
04/02/13 02:58:17 PM	0.000	6.890	0.000
04/02/13 02:58:16 AM	0.000	6.890	0.000
04/01/13 02:58:15 PM	0.000	6.890	0.000
04/01/13 02:58:14 AM	0.000	6.890	0.000
03/31/13 02:58:13 PM	0.000	6.890	0.000
03/31/13 02:58:13 AM	0.000	6.890	0.000
03/30/13 02:58:11 PM	0.000	6.890	0.000
03/30/13 02:58:10 AM	0.000	6.890	0.000
03/29/13 02:58:10 PM	0.000	6.890	0.000
03/29/13 02:58:08 AM	0.000	6.890	0.000
03/29/13 02:58:07 AM	0.000	6.890	0.000

Date/Time: Specifies the date and time the County Computer detected a transmission from the sensor.


In For Report: Specifies the incremental rainfall (in inches) reported between successive data transmissions.

Accum Inch: Specifies the accumulated rainfall (in inches) reported since July 1st.

Pd Accumulated Rain: Specifies the accumulated rainfall (in inches) reported in the last fourteen (14) days.

Interval Rain: Specifies the accumulated rainfall (in inches) reported in the last ten (10) minutes.

Hour Rain: Specifies the accumulated rainfall (in inches) reported in the last one (1) hour, three (3) hours, six (6) hours, etc.



SLOCountyWater.org

San Luis Obispo County Water Resources
Division of Public Works

Home > Water Resources > Data > Precipitation > Active > Real Time > Nipomo East

[Flood Control](#) [Major Projects](#) [Water Quality Lab](#) [Water Resources](#)

Site Information

Nipomo East (Sensor 728)

Located


- Nipomo Community Service District (NCSD) water tanks, Nipomo, CA.

Established


- November 18, 1999

Annual Average Rainfall

- 18 inches



Rainfall



— Cumulative Rainfall

----- Chart Created (4.5.13 10:04 AM)

Real-Time Rainfall Data

DIADvisor™ Web Reports

Nipomo East Precipitation (Sensor 728)

Period: 3/22/2013 10:00:07 AM to 4/5/2013 10:00:07 AM

Date/Time	In for Report	Accum Inch	Pd Accumulated Rain
04/05/13 07:42:18 AM	0.000	5.827	0.039
04/04/13 07:42:17 PM	0.000	5.827	0.039
04/04/13 07:42:17 AM	0.000	5.827	0.039
04/04/13 07:17:20 AM	0.039	5.827	0.039
04/03/13 07:42:16 PM	0.000	5.787	0.000
04/03/13 07:42:15 AM	0.000	5.787	0.000
04/02/13 07:42:14 PM	0.000	5.787	0.000
04/02/13 07:42:13 AM	0.000	5.787	0.000
04/01/13 07:42:12 PM	0.000	5.787	0.000
04/01/13 07:42:11 AM	0.000	5.787	0.000
03/31/13 07:42:10 PM	0.000	5.787	0.000
03/31/13 07:42:10 AM	0.000	5.787	0.000
03/30/13 07:42:09 PM	0.000	5.787	0.000
03/30/13 07:42:09 AM	0.000	5.787	0.000
03/29/13 07:42:07 PM	0.000	5.787	0.000
03/29/13 07:42:07 AM	0.000	5.787	0.000
03/28/13 07:42:06 PM	0.000	5.787	0.000

Date/Time: Specifies the date and time the County Computer detected a transmission from the sensor.

In For Report: Specifies the incremental rainfall (in inches) reported between successive data transmissions.

Accum Inch: Specifies the accumulated rainfall (in inches) reported since July 1st.

Pd Accumulated Rain: Specifies the accumulated rainfall (in inches) reported in the last fourteen (14) days.

Interval Rain: Specifies the accumulated rainfall (in inches) reported in the last ten (10) minutes.

Hour Rain: Specifies the accumulated rainfall (in inches) reported in the last one (1) hour, three (3) hours, six (6) hours, etc.



APRIL 10, 2013

ITEM F

ATTACHMENT D

**NCSO Outreach Summary
April 2013**

Date Started	Outreach	Description	Status	Date Completed
3/20/2013	Construction Banner	Banner for Blacklake Well 4 Pump Replacement	At printing	
3/27/2013	Press Release	Board Recommends Forming Solid Waste Committee	Complete	3/28/2013
3/27/2013	Press Release	Board Presents Resolution of Appreciation to Supplemental Water Alternatives Evaluation Committee	Complete	3/28/2013
3/28/2013	Website Updates	Adding Board bios & emails; updating District's website	In Progress	
3/28/2013	SDLF Award	Making improvements to website for the Special District Leadership Foundation's "District Transparency Certificate of Excellence"	In Progress	
3/29/2013	Chipping Event	Working with Cal Fire to advertise and promote local Chipping Event in May	In Progress	
4/4/2013	District Newsletter	Second quarter newsletter for May 15th distribution	In Progress	

Your Water Dollars at Work



BLACKLAKE WELL 4 PUMP
REPLACEMENT PROJECT

Nipomo Community Services District

Scheduled Completion - Fall 2013

Construction Manager - Cannon, San Luis Obispo, CA

Contractor - Sansone Co., Inc., San Luis Obispo, CA

For more information, call NCSD at 929-1133

SPEAKING OUT

Bottled vs. tap water: What do you value?



INSIDE NCS

Michael LeBrun

Webster's Dictionary defines "value" as "the quality of something that makes it more or less desirable, useful, and a thing of quality having intrinsic worth."

What about the value of running water in our homes?

Did you know that it costs millions of dollars to operate and maintain Nipomo's water system? During the 2012-13 fiscal year, \$3.6 million from the district's water fund went to operate and maintain the water system.

It's a 24/7 process of treating, analyzing, delivering, collecting and returning water into the environment.

To break it down more: Before water is delivered through your faucets, it is treated and tested for quality

and safety. Your used water is then collected, treated again and returned safely to the environment.

That process continues all day, every day.

When comparing water service to widely used consumer goods, the value of water service is clear.

The average price per gallon of gas is \$4; the average price per gallon of coffee from a coffee shop is \$2; the price per gallon of bottled water can be as high as \$25.

Now, what do you pay for a gallon of water delivered directly to your home? The answer is \$0.004 per gallon.

That's right, you pay less than 1 cent per gallon for treated, safe drinking water delivered directly to your home.

In addition to covering normal water use, your cost also funds 3 million gallons of water in storage, which is ready should a fire break out in your home or community. What a bargain.

We value water to support life. We value water to support health and safety. We value water to support our property values, landscaping and recreation. At any cost, the value of water service is incomparable.

If you have questions or comments about this column or NCS services, please contact me.

Michael LeBrun is the general manager of the Nipomo Community Services District. He can be reached by calling 929-1133 or by email at info@ncsd.ca.gov.

Marchiano:

Continued from A2

blood cells.

An aspiring dancer, she was diagnosed with the disease in December 2007 and spent 18 months in treatment.

"One second an innocent 13-year-old, I was suddenly thrown into the world of a child with cancer," she later wrote. "Forty-eight doses of chemo, 41 shots, over 150 needle pokes, two blood transfusions, 14 days of radiation, and five surgeries later, I emerged as a battered, yet grateful survivor."

At age 14, she began keeping a journal about her experience.

Her diary became a book, "Grace: A Child's Intimate Journey Through Cancer and Recovery," which won a



File photo

Cancer survivor and Nipomo resident Melinda Marchiano is shaving her head to raise money for St. Baldrick's Foundation.

and nurses of oncology as well as parents and young patients themselves.

"I realized that if you could burst in hysterical laughter before doing one of the scariest things a teenager could do, then I could

Press Release Log

2013

Date of PR	Title	Date Sent to Media	Date Placed On Website	Media Published	Date PR Published	Media Published	Date PR Published	Media Published	Date PR Published
1/10/2013	Board Authorizes Purchase of New Service Truck	1/10/2013	1/10/2013	Times Press	1/18/2013				
1/10/2013	Board Ratifies Committee Assignments for 2013	1/10/2013	1/10/2013						
1/10/2013	Board to Consider Revision of District's Bill Payment Policy	1/10/2013	1/10/2013	SM Times	1/18/2013	Adobe	1/18/2013	Times Press	1/25/2013
1/10/2013	Board Authorizes Representation for Nipomo Mesa Management Area Technical Group	1/10/2013	1/10/2013						
1/24/2013	Board Commends District's Finance Director for Twenty Years of Outstanding Service	1/24/2013	1/25/2013	Adobe	2/1/2013	SM Times	2/24/2013		
1/24/2013	Board Awards Contract for Blacklake Sewer Master Plan to Michael K. Nunley & Associates	1/24/2013	1/25/2013	Adobe	2/1/2013				
1/24/2013	Board Considers Requests for New Water Service at Jim Miller Park and New Development	1/24/2013	1/25/2013	Tribune	1/31/2013	Adobe	2/1/2013	SM Times	2/4/2013

**Press Release Log
2013**

Date of PR	Title	Date Sent to Media	Date Placed On Website	Media Published	Date PR Published						
2/5/2013	Committee Develops Initial Ranking of Supplemental Water Alternatives	2/5/2013	2/6/2013	Adobe	2/8/2013	SM Times	2/10/2013	KCOY On Air	2/13/2013		
2/14/2013	Board Authorizes Bidding for Supplemental Water Project Phase 1	2/15/2013	2/15/2013	SM Times	2/16/2013	Tribune	2/18/2013	Adobe	2/22/2013	Sun	2/27/2013
2/14/2013	Board Approves Financing Plan for Supplemental Water Pipeline Project	2/15/2013	2/15/2013	SM Times	2/16/2013	Tribune	2/18/2013	Adobe	2/22/2013	Sun	2/27/2013
2/14/2013	Committee Presents Preliminary Findings on Supplemental Water Alternatives	2/15/2013	2/15/2013	SM Times	2/16/2013	Tribune	2/18/2013	Adobe	2/22/2013		
2/14/2013	Board Approves an Increase to District Trash Rates	2/15/2013	2/15/2013	Adobe	2/22/2013						
2/14/2013	Board Awards Contract for Auditing Services to The Crosby Company	2/15/2013	2/15/2013								
2/14/2013	Board Considers Revising Policy on New Water Service Applications	2/15/2013	2/15/2013	Tribune	2/18/2013	Adobe	2/22/2013	SM Times	2/25/2013		
2/25/2013	District Suspects Illegal Dumping in Sewer System	2/26/2013	2/26/2013	KCOY	2/26/2013	SM Times	2/27/2013	Tribune	2/28/2013	Adobe	3/1/2013

**Press Release Log
2013**

Date of PR	Title	Date Sent to Media	Date Placed On Website	Media Published	Date PR Published	Media Published	Date PR Published	Media Published	Date PR Published
2/28/2013	Committee Presents Draft-Final Report on Supplemental Water Alternatives	2/28/2013	2/28/2013	Tribune	2/28/2013				
2/28/2013	District Utilities Superintendent Provides Summary of 2012 Operational Highlights	2/28/2013	2/28/2013						
2/28/2013	Board Initiates Process to Allow Applications for New Water Service	2/28/2013	2/28/2013	Adobe	3/8/2013	SM Times	3/10/2013		
2/28/2013	Board Initiates Process to Allow Relief to Customers with High Water Bills Caused by Leaks	2/28/2013	2/28/2013						
2/28/2013	District Awards Contract for Well Repairs to Sansone Company, Inc.	2/28/2013	2/28/2013						
3/14/2013	Board Allows Applications for New Water Service	Sent by MSL 3/13/13	3/18/2013	Tribune	3/13/2013	Sun	3/27/2013		
3/14/2013	District Awards Grant Funds for Solid Waste Removal to Nipomo Chamber of Commerce	Sent by MSL 3/13/13	3/18/2013						



FOR IMMEDIATE RELEASE

Date: March 28, 2013
Contact: Michael S. LeBrun, General Manager
Nipomo Community Services District
148 S. Wilson St., Nipomo, CA 93444
Phone: (805) 929-1133 – Email: mlebrun@ncsd.ca.gov

Board Recommends Forming Solid Waste Committee

On Wednesday, March 27th, the District's Board held their regular meeting at 9AM and recommended the formation of a solid waste committee.

Currently solid waste franchise fees fund District solid waste programs, grants, and administration. The committee will focus on reviewing program services.

The Board appointed Director Dan Gaddis as committee Chairperson and Director Bob Blair as the second member.

Next Scheduled Board Meeting: Wednesday, April 10, 2013, 9AM, District Board Room 148 South Wilson, Nipomo

For more information or to view the minutes, please contact the Nipomo Community Services District at 929-1133 or visit www.ncsd.ca.gov.

###

Established in 1965 to meet the health and sanitation needs of the local community, Nipomo Community Services is pleased to provide a wide variety of services throughout its district including the provision of water, sewer, and waste management services as well as lighting and drainage in limited areas. The mission of Nipomo Community Services District is to provide its customers with reliable, quality, and cost-effective services now and in the future.



FOR IMMEDIATE RELEASE

Date: March 28, 2013
Contact: Michael S. LeBrun, General Manager
Nipomo Community Services District
148 S. Wilson St., Nipomo, CA 93444
Phone: (805) 929-1133 – Email: mlebrun@ncsd.ca.gov

Board Presents Resolution of Appreciation to Supplemental Water Alternatives Evaluation Committee

On Wednesday, March 27th, the District's Board held their regular meeting at 9AM where they adopted and presented a Resolution of Appreciation to the Supplemental Water Alternatives Evaluation Committee members. The Board recognized and commended volunteer citizens Sam Saltoun, Dan Garson, Dennis Graue, Kathie Matsuyama, Robert Miller, Dave Watson, and Dan Woodson who comprised the voting membership of the Committee.

The Committee was formed and tasked with conducting an evaluation and ranking of alternatives for delivering supplemental water to the District. Between September 2012 and March 2013, members held 13 public meetings and met in sub-committees eight times. Each member of the Committee invested hundreds of hours on individual research, sub-committee, and committee participation.

On February 27th, the Committee presented a final ranking of supplemental water alternatives and a comprehensive report documenting the process and basis for their ranking. The Committee ranked building an intertie pipeline between the City of Santa Maria and the District as the top alternative for delivering a supplemental water source to the Nipomo Mesa. They also developed a set of water resource management recommendations to be considered.

Director Gaddis stated "I am impressed with the quality of work produced and commend these volunteers for a job well done." Board President Harrison agreed "The work of this committee is significant and appreciated."

Next Scheduled Board Meeting: Wednesday, April 10, 2013, 9AM, District Board Room 148 South Wilson, Nipomo

For more information or to view the minutes, please contact the Nipomo Community Services District at 929-1133 or visit www.ncsd.ca.gov.

###

Established in 1965 to meet the health and sanitation needs of the local community, Nipomo Community Services is pleased to provide a wide variety of services throughout its district including the provision of water, sewer, and waste management services as well as lighting and drainage in limited areas. The mission of Nipomo Community Services District is to provide its customers with reliable, quality, and cost-effective services now and in the future.

Santa Maria Sun / News

The following articles were printed from Santa Maria Sun [santamariasun.com] - Volume 14, Issue 3

Share:

Nipomo developers' thirsts are quenched--for now

BY FRANK GONZALES

Developers in Nipomo once again have access to water for new projects thanks to a recent ordinance by the Nipomo Community Services District. During its March 13 meeting, the district board unanimously voted to immediately suspend a previous ordinance that had halted the processing of new water-service applications.

The new ordinance—along with the date of its implementation—was set at the Feb. 27 board meeting. The limit on new water-service applications had been put in place after voters turned down plans last June for an inter-tie pipeline to receive water from Santa Maria. The NCS D has been searching for new sources of water since a judge ordered nearly two decades ago that it provide at least an additional 2,500 acre-feet per year to its residents in a court settlement over water rights in the Santa Maria Valley Groundwater Basin.

On Feb. 13, the board approved funding for a scaled-down version of the pipeline to Santa Maria that would require no additional taxes; as a result, the board also voted to consider ending the suspension on new water-service applications. At the time of that meeting, the board had discussed the idea of opening new applications only to developers who had already begun projects, but the new ordinance doesn't have such a requirement.

To clarify this, Michael LeBrun, general manager for the district said, "We continued to process for anybody who was in our pipeline, if you will, or in our process for application. We never halted those folks."

Nevertheless, by voting to suspend the previous ordinance instead of repealing it, the door has been left open to reinstate the limitation if the water situation changes, according to a press release released by the district regarding the decision."

"If something goes awry with our schedule as we move forward on the supplemental water, then [the district is] going to move right back to moratorium, because we think it's critical that the community has a supplemental source of water before we continue signing up new customers," LeBrun added.


One example of such a change is if the district doesn't choose a bid for the inter-tie pipeline's construction. This is unlikely as of now, given that LeBrun noted how more than 30 contractors have attended pre-bid meetings. The board is scheduled to look at all of the bids for the inter-tie pipeline at the end of the month.

For now, all developers can apply—and they are: "There has been interest. We've got maybe half a dozen new applications in since [the new ordinance]," LeBrun said.

Share:

Website Traffic Summary
2013 Monthly Comparisons

2013	Visits	Chg from Prev Mo	Unique Visitors	Chg from Prev Mo	Page views	Chg from Prev Mo	Pages/ Visit	Chg from Prev Mo	Avg. Visit Duration	Chg from Prev Mo	Bounce Rate	Chg from Prev Mo	% New Visits	Chg from Prev Mo
December	1223		880		2898		2.37		0:02:21		51.76%		58.87%	
January	1623	32.71%	1165	32.39%	3741	29.09%	2.3	-2.95%	0:02:23	1.42%	60.14%	16.19%	60.63%	2.99%
February	1734	6.84%	1162	-0.26%	3855	3.05%	2.22	-3.48%	0:02:16	-4.90%	54.21%	-9.86%	55.02%	-9.25%
March	2023	16.67%	1456	25.30%	5086	31.93%	2.51	13.06%	0:02:24	5.88%	49.33%	-9.00%	62.78%	14.10%
April														
May														
June														
July														
August														
September														
October														
November														
December														



**Website Traffic Summary
2013**

Week	Visits	Unique Visitors	Pageviews	Pages/Visit	Avg. Visit Duration	Bounce Rate	% New Visits	Highest Traffic Day	Significant Actions During the Week Possibly Contributing to Traffic
12/31/12 - 1/6/13	300	250	696	2.32	0:02:01	60.33%	66.00%	Wed 1/2	
1/7/13 - 1/13/13	325	262	742	2.28	0:02:16	56.31%	62.15%	Thu 1/10	Board Meeting 1/9; 4 Press Releases (incl bill payment policy)
1/14/13 - 1/20/13	311	240	676	2.17	0:02:20	54.98%	55.63%	Fri 1/18	Adobe b&w consv ad 1/18
1/21/13 - 1/27/13	414	327	906	2.19	0:02:26	64.25%	56.76%	Tue 1/22, Wed 1/23	Board Meeting 1/23 Press Releases (incl New Water Svc) 3 Adobe color consv ad 1/25
1/28/13 - 2/3/13	417	334	988	2.37	0:02:34	63.31%	62.35%	Thu 1/31	Adobe color consv ad 1/25
2/4/13 - 2/10/13	382	285	826	2.16	0:01:51	50.79%	54.19%	Wed 2/6	SWAEC Press Release
2/11/13 - 2/17/13	407	314	889	2.18	0:02:04	56.27%	54.30%	Wed 2/13	Board Meeting 2/13 KCOY On-Air Story 2/13 6 Press Releases (incl Supp Water, Trash, New Water Service)
2/18/13 - 2/24/13	521	381	1179	2.26	0:02:48	54.51%	55.85%	Wed 2/20	Newsletter Mailing (rcd 2/19) Adobe Manager's Column 2/22
2/25/13 - 3/3/13	470	319	1133	2.41	0:02:38	52.77%	52.34%	Fri 3/1	Board Meeting 2/27 KCOY On-Air Story 2/26 Press Release on Illegal Dumping
3/4/13 - 3/10/13	493	387	1233	2.5	0:02:19	49.29%	62.47%	Mon 3/4	Illegal Dumping newspaper articles
3/11/13 - 3/17/13	462	369	1147	2.48	0:02:08	46.75%	65.15%	Mon 3/11	Board Meeting 3/13 3 Press Releases (incl New Water Service and Bill Relief) Leak Week Ad in Adobe 3/15 Fix A
3/18/13 - 3/24/13	474	390	1222	2.58	0:02:23	50.84%	64.35%	Wed 3/20	WWS Recruitment Fix A Leak Week Ad in Adobe 3/15 Fix A Leak Week Ad in Adobe 3/22
3/25/13 - 3/31/13	432	346	1115	2.58	0:02:33	49.07%	63.89%	Tue 3/26	WWS Recruitment Fix A Leak Week Ad in Adobe 3/22 Board Meeting 3/27 Manager's Column in Adobe 3/29